arXiv:1301.3522v1 [astro-ph.HE] 15 Jan 2013

The Interplanetary Network Supplement to the *Fermi* GBM Catalog of Cosmic Gamma-Ray Bursts

K. Hurley

University of California, Berkeley, Space Sciences Laboratory, 7 Gauss Way, Berkeley, CA 94720-7450, USA

`khurley@ssl.berkeley.edu`

V. D. Palshin, R. L. Aptekar, S. V. Golenetskii, D. D. Frederiks, E. P. Mazets, D. S. Svinkin

Ioffe Physical Technical Institute, St. Petersburg, 194021, Russian Federation

M. S. Briggs, V. Connaughton

University of Alabama in Huntsville, NSSTC, 320 Sparkman Drive, Huntsville, AL 35805, USA

C. Meegan

Universities Space Research Association, NSSTC, 320 Sparkman Drive, Huntsville, AL 35805, USA

J. Goldsten

Applied Physics Laboratory, Johns Hopkins University, Laurel, MD 20723, U.S.A.

W. Boynton, C. Fellows, K. Harshman

University of Arizona, Department of Planetary Sciences, Tucson, Arizona 85721, U.S.A.

I. G. Mitrofanov, D. V. Golovin, A. S. Kozyrev, M. L. Litvak, A. B. Sanin

Space Research Institute, 84/32, Profsoyuznaya, Moscow 117997, Russian Federation

A. Rau, A. von Kienlin, X. Zhang

Max-Planck-Institut für extraterrestrische Physik, Giessenbachstrasse, Postfach 1312,
Garching, 85748 Germany

K. Yamaoka
Department of Physics and Mathematics, Aoyama Gakuin University, 5-10-1 Fuchinobe,
Sagamihara, Kanagawa 229-8558, Japan

Y. Fukazawa, Y. Hanabata, M. Ohno
Department of Physics, Hiroshima University, 1-3-1 Kagamiyama, Higashi-Hiroshima,
Hiroshima 739-8526, Japan

T. Takahashi
Institute of Space and Astronautical Science (ISAS/JAXA), 3-1-1 Yoshinodai, Sagamihara,
Kanagawa 229-8510, Japan

M. Tashiro, Y. Terada
Department of Physics, Saitama University, 255 Shimo-Okubo, Sakura-ku, Saitama-shi,
Saitama 338-8570, Japan

T. Murakami
Department of Physics, Kanazawa University, Kadoma-cho, Kanazawa, Ishikawa 920-1192,
Japan

K. Makishima[6]
Department of Physics, University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033,
Japan

---

[6] Makishima Cosmic Radiation Laboratory, The Institute of Physical and Chemical Research (RIKEN), 2-1 Hirosawa, Wako, Saitama 351-0198, Japan

S. Barthelmy, T. Cline[2], N. Gehrels

NASA Goddard Space Flight Center, Code 661, Greenbelt, MD 20771, U.S.A.

J. Cummings[3]

UMBC/CRESST/NASA Goddard Space Flight Center, Code 661, Greenbelt, MD 20771, U.S.A.

H. A. Krimm[4]

CRESST/NASA Goddard Space Flight Center, Code 661, Greenbelt, MD 20771, U.S.A.

D.M. Smith

Physics Department and Santa Cruz Institute for Particle Physics, University of California, Santa Cruz, Santa Cruz, CA 95064, U.S.A.

E. Del Monte, M. Feroci

INAF/IASF-Roma, via Fosso del Cavaliere 100, 00133, Roma, Italy

M. Marisaldi

INAF/IASF-Bologna, Via Gobetti 101, I-40129 Bologna, Italy

Received ____________________; accepted ____________________

---

[2] Emeritus

[3] Joint Center for Astrophysics, University of Maryland, Baltimore County, 1000 Hilltop Circle, Baltimore, MD 21250

[4] Universities Space Research Association, 10211 Wincopin Circle, Suite 500, Columbia, MD 21044

ABSTRACT

We present Interplanetary Network (IPN) data for the gamma-ray bursts in the first *Fermi* Gamma-Ray Burst Monitor (GBM) catalog. Of the 491 bursts in that catalog, covering 2008 July 12 to 2010 July 11, 393 were observed by at least one other instrument in the 9-spacecraft IPN. Of the 393, the localizations of 146 could be improved by arrival time analysis (or "triangulation"). For any given burst observed by the GBM and one other distant spacecraft, triangulation gives an annulus of possible arrival directions whose half-width varies between about $0.4'$ and 32°, depending on the intensity, time history, and arrival direction of the burst, as well as the distance between the spacecraft. We find that the IPN localizations intersect the 1σ GBM error circles in only 52% of the cases, if no systematic uncertainty is assumed for the latter. If a 6° systematic uncertainty is assumed and added in quadrature, the two localization samples agree about 87% of the time, as would be expected. If we then multiply the resulting error radii by a factor of 3, the two samples agree in slightly over 98% of the cases, providing a good estimate of the GBM 3σ error radius. The IPN 3σ error boxes have areas between about 1 square arcminute and 110 square degrees, and are, on the average, a factor of 180 smaller than the corresponding GBM localizations. We identify two bursts in the IPN/GBM sample that did not appear in the GBM catalog. In one case, the GBM triggered on a terrestrial gamma flash, and in the other, its origin was given as "uncertain". We also discuss the sensitivity and calibration of the IPN.

Subject headings: gamma-rays: bursts; catalogs

1. Introduction

This paper presents the latest in a series of catalogs of gamma-ray burst (GRB) localizations obtained by arrival time analysis, or "triangulation" between the spacecraft in the 3rd interplanetary network (IPN) (table 1). In the present paper, we present the localization data on 146 bursts which occurred during the period covered by the first, two-year *Fermi* GBM GRB catalog (Paciesas et al. 2012) (2008 July 12 to 2010 July 11). As the composition of the IPN has changed over the years, we present a summary of the instrumentation and techniques in the following section. Section 3 contains the localization data, which are also available on the IPN website[1]. In section 4, we discuss the statistics of the localizations.

2. Technique, Instrumentation, Calibration, and Sensitivity

The triangulation technique is illustrated in figure 1. When a GRB arrives at two spacecraft with a delay δT, it may be localized to an annulus whose half-angle θ with respect to the vector joining the two spacecraft is given by

$$cos\theta = \frac{c\delta T}{D} \tag{1}$$

where c is the speed of light and D is the distance between the two spacecraft. (This assumes that the burst is a plane wave, i.e. that its distance is much greater than D.) The annulus width dθ, and thus one dimension of the resulting error box, is

$$d\theta = \mathrm{c}\sigma(\delta\mathrm{T})/\mathrm{Dsin}\theta \tag{2}$$

where $\sigma(\delta\mathrm{T})$ is the uncertainty in the time delay. The radius of each annulus and the right ascension and declination of its center are calculated in a heliocentric (i.e., aberration-corrected) frame.

---

[1] http://ssl.berkeley.edu/ipn3/index.html

The composition of the missions and experiments comprising the interplanetary network changes as old missions are terminated and new missions are introduced. During the period covered in the present catalog, the IPN consisted of *Konus-Wind* , at distances up to around 5 light-seconds from Earth (Aptekar et al. 1995); *Mars Odyssey*, in orbit around Mars at up to 1250 light-seconds from Earth (Hurley et al. 2006); the *International Gamma-Ray Laboratory* (INTEGRAL), in an eccentric Earth orbit at up to 0.5 light-seconds from Earth (Rau et al. 2005); the *Mercury Surface, Space Environment, Geochemistry, and Ranging* mission (MESSENGER), launched in 2004 August, and in an eccentric orbit around Mercury beginning 2011 March 18 (Gold et al. 2001); and the *Ramaty High Energy Solar Spectroscopic Imager* (RHESSI) (Smith et al. 2002), *Swift* (Goldstein et al. 2012), *Fermi* (Meegan et al. 2009), *Suzaku* (Takahashi et al. 2007; Yamaoka et al. 2009), and AGILE (Marisaldi et al. 2008; Del Monte et al. 2008; Tavani et al. 2009), all in low Earth orbit.

The detectors in the IPN vary widely in shape, composition, time resolution, and energy range. Also, onboard timekeeping techniques and accuracies are not the same from mission to mission, and spacecraft ephemeris data are given only as predicts for some missions. Since the accuracy of the triangulation technique depends on all these parameters, end-to-end calibrations and sensitivity checks are a constant necessity. For the current IPN, we utilize the following method. For every burst for which the *Swift* X-Ray Telescope (XRT) detects an X-ray afterglow, we search for GRB detections in all the IPN experiments. If the burst was detected by a) *Odyssey* and *Konus* or by *Odyssey* and a near-Earth mission, b) MESSENGER and *Konus* or by MESSENGER and a near-Earth mission, or c) *Konus* and a near-Earth mission, we derive an IPN annulus by triangulation. We then calculate the angle between the annulus center line and the XRT position θ_X, taken from the GCN Circulars, and which we take to be a point source, because its positional uncertainty is much less than the annulus width θ (figure 2). θ is calculated such that the distribution of annulus widths is approximately Gaussian, so the distribution of θ_X/θ should follow a normal distribution with mean zero and standard deviation 1, if systematic uncertainties are neglected. We have used this procedure so far for 78 MESSENGER/Konus or MESSENGER/near-Earth triangulations, 292 *Konus*/near-Earth triangulations, and 72 *Odyssey/Konus* or *Odyssey*/near-Earth triangulations. We find that for the interplanetary spacecraft a systematic uncertainty equal to roughly 0.75 times the statistical one is required to make the distributions consistent with normal distributions. An example is shown in figure 3. Systematic uncertainties arise from numerous sources. Some are certainly negligible in some cases, while others may be important. But in almost all cases, it is impossible to assign an accurate number to them. A partial list follows, in no particular order.

1. Variations in the clock accuracy from one spacecraft to another. Different spacecraft have different ways of calibrating their clocks, and assigning times to the time bins of GRB time histories. We know, for example, that in some cases, the GRB timing is subject to uncertainties, even though the spacecraft oscillator is quite accurate.

2. Predict timing. In many cases, the time assigned to a GRB is a predicted time, and it is never updated. In other cases, such as *Odyssey* and MESSENGER, the time is eventually updated using an accurate model for the clock drift; in this study, the updated times have been used for these spacecraft. In other cases, no final clock corrections are applied.

3. Different time resolutions. For any given spacecraft pair, the time resolutions can be vastly different, and sometimes one is not an exact multiple of the other. One time history is adjusted to match the time resolution of the other spacecraft in the

light curve comparisons. This can be done in a variety of ways, but each is subject to uncertainties. Even in cases where one time resolution is in principle an exact multiple of another, the true values of the bin widths can be slightly different from their nominal values due to different on-board electronics.

4. Spacecraft ephemerides. Some ephemerides are predicts, while others are final. In these comparisons, the final ephemerides were used where possible, but they were not always available.

5. Different energy responses of the various detectors. In most cases, the GRB light curves are recorded in different energy ranges from one another. Even in those cases where we attempt to match the energy ranges of the detectors (i.e. where the photons are energy-tagged), the detector responses within those ranges are different due to the very different detector designs.

To calibrate the IPN sensitivity, we use estimates of the peak fluxes and fluences of a large number of Swift-BAT bursts, available at `http://swift.gsfc.nasa.gov/docs/swift/archive/grb_table/tmp/grb_table_1332975420.txt`. These are measured in the 15 – 150 keV range, and are given in photon $\mathrm{cm^{-2}\,s^{-1}}$ (measured over a 1 s period) and erg $\mathrm{cm^{-2}}$, respectively. For each of 599 BAT bursts in this comparison, we determined a) whether any other IPN spacecraft also detected the burst, and b) whether *Konus,* MESSENGER, or *Odyssey* detected the burst. Only the latter detections can lead to meaningful triangulations, because of their larger distances from Earth. From these numbers, we calculate the detection probabilities as functions of flux and fluence. The results are shown in figures 4 and 5. These represent an average over detector sensitivities, duty cycles, and, for all the instruments except *Konus*, planet-blocking. The probabilities of IPN detections are 50% or greater for peak fluxes in the range $1-3\,\mathrm{photons\,cm^{-2}\,s^{-1}}$ and for fluences in the range $1-3\times10^{-6}\,\mathrm{erg\,cm^{-2}}$.

Every cosmic burst detected by the GBM was searched for in the IPN data; GBM localizations were used to calculate arrival time windows for *Odyssey* and MESSENGER, but the total crossing time windows defined by light-travel times were examined in all cases. The resulting detections are given in table 2. Note that this table supersedes the information in table 2 of Paciesas et al. (2012), which is incomplete.

Two events in table 2 were detected by the GBM, but did not appear in the GBM catalog. The origin of GRB 091013 was classified as "uncertain". However, the cosmic nature of this event is confirmed by *Konus*. GRB 100501 was detected by numerous IPN spacecraft, including the GBM. However, in that case, the actual GBM trigger was caused by a terrestrial gamma flash.

Whenever *Konus* (in triggered, high time resolution mode), *Odyssey,* or MESSENGER detected the burst, we calculated one or more triangulation annuli. The annuli are given in table 3, and an example is shown in figure 6. In general, the annuli obtained by triangulations are small circles on the celestial sphere, so their curvature, even across a relatively small GBM error circle, may not be negligible, so that a simple, four-corner error box cannot always be defined accurately. For this reason, we do not cite the intersection points of the annuli with the error circles. A prescription for deriving these points, however, may be found in Hurley et al. (1999a).

When three widely separated experiments observe a burst, the result is two annuli which generally intersect to define two small error boxes. The proximity to the GBM error circle may be used to distinguish the correct one. An example is shown in figure 7. When *Konus, Odyssey,* MESSENGER and a near-Earth spacecraft (including INTEGRAL) detect a burst, the position is over-determined. In these cases, a goodness-of-fit can be derived for the localization, and an error ellipse can be generated. Although we utilize this procedure whenever possible, we do not quote the localizations as error ellipses in this catalog, because, like the annuli, their curvature can render a simple parameterization inaccurate. A number of degenerate cases can occur in a three-spacecraft triangulation; they are discussed in Hurley et al. (2011a).

When *Konus* and an interplanetary or near-Earth spacecraft observe a burst, it is often possible to define a long, narrow error box from *Konus'* determination of the burst's ecliptic latitude. This is derived from a comparison of the count rates on the two *Konus* detectors, and its accuracy is generally of the order of ±10° (figure 8). A study of over 1800 *Konus* events indicates that the ecliptic latitude limits determined in this way can be considered to be an $\sim 95\%$ confidence band. Systematic uncertainties usually prevent a more accurate determination.

IPN annulus widths are often comparable to, or smaller than, *Fermi* LAT error circle radii, and can therefore reduce the areas of LAT localizations. Figure 9 shows the example of GRB 090323 (Ohno et al. 2009; Hurley et al. 2009), for which a *Swift* ToO observation led to the discovery of an XRT (Kennea et al. 2009), optical (Updike et al. 2009), and radio (Harrison et al. 2009) counterpart.

3. Table of IPN Localizations

The 21 columns in table 3 give: 1) the date of the burst, in yymmdd format; this contains a link to a figure on the IPN website showing the annulus or error box and the GBM error circle, 2) the Universal Time of the burst at Earth, 3) the GBM right ascension of the center of the error circle (J2000), in degrees, 4) the GBM declination of the center of the error circle (J2000), in degrees, 5) the 1σ statistical GBM error circle radius, in degrees, 6) the right ascension of the center of the first IPN annulus, epoch J2000, in the heliocentric frame, in degrees 7) the declination of the center of the first IPN annulus, epoch J2000, in the heliocentric frame, in degrees, 8) the angular radius of the first IPN annulus, in the heliocentric frame, in degrees, 9) the half-width of the first IPN annulus, in degrees; the 3σ confidence annulus is given by $\mathrm{R_{IPN1}} \pm \delta\ \mathrm{R}_{IPN1}$, 10) the right ascension of the center of the second IPN annulus, epoch J2000, in the heliocentric frame, in degrees, 11) the declination of the center of the second IPN annulus, epoch J2000, in the heliocentric frame, in degrees, 12) the angular radius of the second IPN annulus, in the heliocentric frame, in degrees, 13) the half-width of the second IPN annulus, in degrees; the 3σ confidence annulus is given by $\mathrm{R_{IPN2}} \pm \delta\ \mathrm{R}_{IPN2}$, 14 and 15) the Konus ecliptic latitude band, in degrees, 16, 17, and 18) the right ascension, declination, and angular radius of the Earth or Mars, if the planet blocks part of the localization, in degrees, and 19, 20, and 21) any other localization information, in right ascension, declination, and angular radius, in degrees.

The GBM data have been taken from the HEASARC online catalog at `http://heasarc.gsfc.nasa.gov/cgi-bin/W3Browse/w3query.pl`, if the localization source was "Fermi, GBM". For bursts with other localization sources, the "human-in-the-loop" localization was used (V. Connaughton, private communication, 2012). GBM localizations are subject to change, and are given here for convenience only. The latest online catalog should be considered to be the most authoritative source of the up-to-date GBM data. The data in table 3 are also available electronically at `http://ssl.berkeley.edu/ipn3/index.html`.

4. A Few Statistics

There are 491 bursts in the GBM catalog (Paciesas et al. 2012). Of these, 393 (80%) were observed by at least one other IPN spacecraft. They are listed in table 2, and the number of bursts observed by each IPN spacecraft is compiled in table 4. Those events which were not observed by an IPN spacecraft had fluences between between

4.5×10^{-8} and 9.5×10^{-6} erg cm^{-2}, peak fluxes between 0.33 and 8.8 photons cm^{-2} s^{-1}, and durations between 0.13 and 218 s, as measured by the GBM (Goldstein et al. 2012; Paciesas et al. 2012). (Note that the GBM energy range differs from the *Swift* BAT one used in figures 4 and 5.) For 146 of them, it was possible to improve the localizations by triangulation. The minimum and maximum 3σ IPN annulus half-widths were 7.40×10^{-3} and 31.9°, and the average was 1.8°. The IPN error boxes have 3σ areas between about 1 square arcminute and 110 square degrees. Each IPN localization was compared to its corresponding GBM error circle, as given in the online catalog at `http://heasarc.gsfc.nasa.gov/cgi-bin/W3Browse/w3query.pl`. In that catalog, the GBM localizations have been approximated as circles, with 1σ (statistical only) radii. Assuming that they are described by a two-dimensional normal distribution, we would expect 87% of the 3σ IPN localizations to agree with them (i.e. to have some intersection with them). We find only 52% agreement.

If a GBM systematic uncertainty of 6° is assumed, and added in quadrature to the statistical uncertainty, we find the expected 87% agreement. If that radius is then multiplied by three, the agreement becomes 98% (3 events with discrepant localizations), so that this can be taken as an approximation to a 3σ GBM confidence region. A more detailed analysis of systematics is given in Connaughton et al. (2012). Comparing each IPN area with its corresponding 3σ GBM area, as approximated above, we find an average reduction in area of a factor of 180.

5. Discussion and Conclusion

The *Fermi* GBM has proven to be a worthy successor to BATSE. It detects about 245 GRBs per year and distributes their coordinates almost instantaneously to a wide astronomical community. The nine-spacecraft IPN is a good complement to it, just as it was to BATSE. It detects a total of about 325 bursts per year, has virtually no planet-blocking or duty cycle restrictions when all the spacecraft are considered, and it is capable of good localization accuracy at the cost of longer delays. There are many ground-based experiments, both electromagnetic and non-electromagnetic, which can take advantage of the smaller IPN error boxes, and for which delays are not an issue. In this sense, the GBM and the IPN both expand the reach of *Swift*, by localizing bursts which *Swift* cannot.

This catalog represents the first installment of the IPN supplements to the GBM burst catalogs. Work is proceeding on the localization of IPN bursts observed during the 3rd and 4th years of GBM operation. Data on some of these events may be found at the IPN web site[2].

6. Acknowledgments

Support for the IPN was provided by NASA grants NNX09AU03G (*Fermi*), NNX08AC90G and NNX08AX95G (INTEGRAL), NNX08AN23G and NNX09AO97G (*Swift*), NNX08AZ85G and NNX09AV61G (*Suzaku*), NNX07AR71G (MESSENGER), and JPL Contracts 1282043 and Y503559 (*Odyssey*). The Konus-Wind experiment is supported by a Russian Space Agency contract and RFBR grant 12-02-00032-a.

---

[2] http://ssl.berkeley.edu/ipn3/interpla.html

REFERENCES

Aptekar, R., Frederiks, D., Golenetskii, S., et al. 1995, Space Sci. Rev., 71, 265

Connaughton, V., TBD, TBD, et al. 2012, in preparation

Del Monte, E., Feroci, M., Pacciani, L., et al. 2008, A&A, 478, L5

Gehrels, N., Chincarini, G., Giommi, P., et al. 2004, ApJ, 611, 1005

Gold, R., Solomon, S., McNutt, R., et al. 2001, Planet. Space Sci., 49, 1467

Goldstein, A., Burgess, J. M., Preece, R., et al. 2012, ApJS199, 19

Harrison, F., Cenko, B., Frail, D., Chandra, P., and Kulkarni, S. 2009, GCN Circ. 9043

Hurley, K., Briggs, M., Kippen, R. M., et al. 1999a, ApJS, 120, 399

Hurley, K., Briggs, M., Kippen, R. M., et al. 1999b, ApJS, 122, 497

Hurley, K., Laros, J., Brandt, S., et al. 2000a, ApJS, 533, 884

Hurley, K., Lund, N., Brandt, S., et al. 2000c, ApJS, 128, 549

Hurley, K., Stern, B., Kommers, J., et al. 2005, ApJS, 156, 217

Hurley, K., Mitrofanov, I., Kozyrev, A., et al. 2006, ApJS, 164, 124

Hurley, K., Goldsten, J., von Kienlin, A., et al. 2009, GCN Circ. 9023

Hurley, K., Guidorzi, C., Frontera, F., et al. 2010, ApJS, 191, 179

Hurley, K., Briggs, M., Kippen, R. M., et al. 2011, ApJS, 196, 1

Hurley, K., Atteia, J.-L., Barraud, C., et al. 2011, ApJS, 197, 34

Kennea, J., Evans, P., and Goad, M. 2009, GCN Circ. 9024

Laros, J., Boynton, W., Hurley, K., et al. 1997, ApJS, 110, 157

Laros, J., Hurley, K., Fenimore, E., et al. 1998, ApJS, 118, 391

Marisaldi, M., Labanti, C., Fuschino, F., et al. 2008, A&A, 490, 1151

Meegan, C., Lichti, G., Bhat, P.N., et al. 2009, ApJ, 702, 791

Ohno, M., Cutini, S., McEnergy, J., Chiang, J., Koerding, E., and van der Horst, A. 2009, GCN Circ. 9021

Paciesas, W., Meegan, C., von Kienlin, A., et al. 2012, ApJS, 199, 18

Pal'shin, V., Hurley, K., Svinkin, D., et al. 2012, in preparation

Rau, A., von Kienlin, A., Hurley, K., and Lichti, G. 2005, A&A, 438, 1175

Smith, D. M., Lin, R., Turin, P., et al. 2002, Sol. Phys., 210, 33

Takahashi, T., Abe, K., Endo, M., et al. 2007, PASJ, 59, 35

Tavani, M., Barbiellini, G., Argan, A., et al. 2009, A&A, 502, 995

Updike, A., Filgas, R., Kruehler, T., Greiner, J., and McBreen, S. 2009, GCN Circ. 9026

Yamaoka, K., Endo, A., Enoto, T., et al. 2009, PASJ, 61, S35

This manuscript was prepared with the AAS LaTeX macros v5.2.



Fig. 1.— The triangulation technique. Each independent spacecraft pair is used to derive an annulus of location for the burst. Three spacecraft produce two possible error boxes. The ambiguity can be eliminated by the addition of a fourth, non-coplanar spacecraft, by the anisotropic response of one of the experiments, or by the GBM localization.



Fig. 2.— Closeup of a portion of a triangulation annulus. The dashed line is the center line, and the two solid lines are the 1 σ contours. The 1 σ annulus width is $d\theta$, and the minimum angle between the center line and the XRT counterpart is θ_X.



Fig. 3.— MESSENGER triangulation accuracy. The histogram shows the angles between the annuli center lines and the XRT counterparts for 78 bursts. The mean is 0.11 and the standard deviation is 0.96. A systematic uncertainty equal to .75 times the statistical uncertainty has been assumed. The solid line is a Gaussian fit to the histogram.



Fig. 4.— The IPN efficiency as a function of GRB peak flux. The peak flux is measured over a 1 s time interval by the *Swift* BAT in the 15 – 150 keV energy range. Two efficiencies are shown. The dashed line is the probability that any IPN experiment (other than the BAT) will detect the burst. The solid line is the probability that *Konus, Odyssey,* or MESSENGER will detect it. Only the latter detections lead to accurate triangulations.



Fig. 5.— The IPN efficiency as a function of GRB fluence. The fluence is measured by the *Swift* BAT in the 15 – 150 keV energy range. Two efficiencies are shown. The dashed line is the probability that any IPN experiment (other than the BAT) will detect the burst. The solid line is the probability that *Konus, Odyssey,* or MESSENGER will detect it. Only the latter detections lead to accurate triangulations.



Fig. 6.— The GBM 1σ (statistical only) error circle for GRB 080817B at 17:17:07 UT, and the 3σ *Suzaku* -MESSENGER triangulation annulus.



Fig. 7.— The GBM 1σ (statistical only) error circle for GRB 100629 at 19:14:03 UT and the 3σ *Konus-Odyssey* and *Konus* -MESSENGER triangulation annuli. The error box is the shaded region.



Fig. 8.— The GBM 1σ (statistical only) error circle for GRB 081009B at 16:33:37 UT, the 3σ *Konus*-MESSENGER triangulation annulus, and the *Konus* ecliptic latitude band. The error box is the shaded region.



Fig. 9.— GBM, LAT, and IPN localizations of GRB 090323. The IPN error box is shaded. The position of the optical counterpart is indicated by an asterisk.

Table 1. Recent IPN catalogs of gamma-ray bursts.

Years covered	Number of GRBs	Description
1990–1992	16	*Ulysses, Pioneer Venus Orbiter,* WATCH, SIGMA, PHEBUS GRBs[a]
1990–1994	56	*Granat*-WATCH supplement[b]
1991–1992	37	*Pioneer Venus Orbiter, Compton Gamma-Ray Observatory, Ulysses* GRBs[c]
1991–1994	218	BATSE 3B supplement[d]
1991–2000	211	BATSE untriggered burst supplement[e]
1992–1993	9	*Mars Observer* GRBs[f]
1994–1996	147	BATSE 4Br supplement[g]
1994–2012	$\sim$300	Konus short bursts[h]
1996–2000	343	BATSE 5B supplement[i]
1996–2002	475	*BeppoSAX* supplement[j]
2000–2006	226	HETE-2 supplement[k]
2008–2010	146	GBM supplement[l]

[a] Hurley et al. (2000a)

[b] Hurley et al. (2000c)

[c] Laros et al. (1998)

[d] Hurley et al. (1999a)

[e] Hurley et al. (2005)

[f] Laros et al. (1997)

[g] Hurley et al. (1999b)

[h] Pal'shin et al. (2012)

[i] Hurley et al. (2011a)

[j] Hurley et al. (2010)

[k] Hurley et al. (2011b)

[l] present catalog

Table 2. IPN/GBM gamma-ray bursts.

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2008 Jul 14	02:04:12	GRB080714086	Kon
2008 Jul 14	17:52:56	GRB080714745	AGI,INT,Kon,MES,RHE,Swi[e]
2008 Jul 15	22:48:40	GRB080715950	AGI,Kon,MES
2008 Jul 19	12:41:34	GRB080719529	AGI,Kon
2008 Jul 23	13:22:19	GRB080723557	AGI,INT,Kon,MES[f]
2008 Jul 23	21:56:23	GRB080723913	Suz
2008 Jul 23	23:37:42	GRB080723985	AGI,INT,Kon,MES,Suz
2008 Jul 24	09:37:40	GRB080724401	INT,Kon,RHE,Suz,Swi[d]
2008 Jul 25	10:26:14	GRB080725435	INT,Kon,MES,Swi[e]
2008 Jul 25	12:59:23	GRB080725541	INT,Kon,Suz,Swi[d]
2008 Jul 27	23:07:35	GRB080727964	Suz,Swi[e]
2008 Jul 30	12:29:15	GRB080730520	Kon,Suz
2008 Jul 30	18:51:38	GRB080730786	AGI,Kon,MES,RHE,Suz
2008 Aug 02	09:15:10	GRB080802386	INT,Kon,Suz
2008 Aug 03	18:31:20	GRB080803772	AGI,INT,Kon,MES,Suz,Swi[d]
2008 Aug 04	10:56:07	GRB080804456	Kon
2008 Aug 04	23:20:14	GRB080804972	INT,Kon,MES,RHE,Swi[e]
2008 Aug 05	14:01:06	GRB080805584	RHE
2008 Aug 06	21:29:40	GRB080806896	Kon,MES,Suz,Swi[d]
2008 Aug 07	23:50:32	GRB080807993	INT,Kon
2008 Aug 08	13:33:48	GRB080808565	Kon
2008 Aug 09	19:23:33	GRB080809808	Kon,Suz
2008 Aug 10	13:10:12	GRB080810549	INT,Kon,Swi[e]
2008 Aug 12	21:19:33	GRB080812889	INT,Suz
2008 Aug 16	12:04:18	GRB080816503	Kon,MES
2008 Aug 16	23:43:54	GRB080816989	INT,Kon,MES,Suz
2008 Aug 17	03:52:10	GRB080817161	AGI,INT,Kon,MES,Suz
2008 Aug 17	17:17:07	GRB080817720	MES,Suz,Swi[d]
2008 Aug 18	22:40:49	GRB080818945	Suz
2008 Aug 21	07:57:26	GRB080821332	Kon,MES,RHE
2008 Aug 23	08:42:13	GRB080823363	Suz
2008 Aug 24	21:48:54	GRB080824909	Kon

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2008 Aug 25	14:13:48	GRB080825593	AGI,INT,Kon,MES,RHE,Swi[d]
2008 Aug 29	18:57:35	GRB080829790	Kon,Swi[d]
2008 Aug 30	08:50:16	GRB080830368	Kon,MES,RHE,Swi[d]
2008 Aug 31	22:06:23	GRB080831921	Kon
2008 Sep 04	21:16:10	GRB080904886	Kon
2008 Sep 05	11:58:54	GRB080905499	AGI,INT,Suz,Swi[e]
2008 Sep 05	13:41:29	GRB080905570	Suz
2008 Sep 05	16:55:45	GRB080905705	INT,Swi[e]
2008 Sep 06	05:05:11	GRB080906212	AGI,INT,Kon,MES,Suz,Swi[d]
2008 Sep 12	08:38:55	GRB080912360	Suz
2008 Sep 16	00:12:45	GRB080916009	AGI,INT,Kon,LAT,MES,RHE
2008 Sep 16	09:45:20	GRB080916406	INT,Kon,MES,Suz,Swi[e]
2008 Sep 24	18:22:36	GRB080924766	Kon
2008 Sep 25	18:35:55	GRB080925775	Kon,MES,RHE,Suz
2008 Sep 27	11:30:32	GRB080927480	Kon,Suz
2008 Sep 28	15:01:32	GRB080928628	Swi[e]
2008 Oct 03	15:27:18	GRB081003644	Kon,Suz
2008 Oct 06	14:29:34	GRB081006604	INT,Suz,Swi[d]
2008 Oct 06	20:55:35	GRB081006872	INT
2008 Oct 08	19:58:09	GRB081008832	INT,MES,Suz,Swi[e]
2008 Oct 09	03:20:58	GRB081009140	INT,Kon,MES,RHE,Swi[d]
2008 Oct 09	16:31:50	GRB081009690	Kon,MES,Suz
2008 Oct 12	01:05:21	GRB081012045	INT
2008 Oct 12	13:10:23	GRB081012549	INT,MES,Swi[e]
2008 Oct 21	09:33:28	GRB081021398	Kon,MES,RHE,Swi[d]
2008 Oct 22	08:44:44	GRB081022364	Suz
2008 Oct 24	05:53:08	GRB081024245	INT,RHE,Swi[e]
2008 Oct 24	21:22:41	GRB081024891	INT,LAT,Suz
2008 Oct 25	08:23:16	GRB081025349	INT,Kon,MES,RHE,Suz,Swi[e]
2008 Nov 01	11:46:31	GRB081101491	Swi[e]
2008 Nov 01	12:45:24	GRB081101532	INT,Kon,MES,Swi[d]
2008 Nov 02	08:44:58	GRB081102365	AGI,INT,MES,Suz

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2008 Nov 02	17:44:39	GRB081102739	Kon,Swi[e]
2008 Nov 07	07:42:01	GRB081107321	Kon,RHE
2008 Nov 09	07:02:06	GRB081109293	INT,RHE,Suz,Swi[e]
2008 Nov 10	14:25:43	GRB081110601	AGI,INT,Kon,MES,Swi[d]
2008 Nov 13	05:31:32	GRB081113230	INT,Kon,Swi[d]
2008 Nov 18	21:00:53	GRB081118876	Kon,RHE
2008 Nov 21	20:35:32	GRB081121858	AGI,INT,Kon,MO,Swi[e]
2008 Nov 22	12:28:12	GRB081122520	INT,Kon,RHE,Suz
2008 Nov 24	01:26:10	GRB081124060	INT,Kon,RHE
2008 Nov 25	11:53:39	GRB081125496	AGI,INT,Kon,MO,RHE,Suz,Swi[d]
2008 Nov 26	21:34:10	GRB081126899	INT,Kon,Swi[e]
2008 Nov 29	03:52:04	GRB081129161	INT,Kon,RHE
2008 Nov 30	15:05:15	GRB081130629	Kon,Suz
2008 Dec 04	00:05:24	GRB081204004	Kon
2008 Dec 04	12:24:45	GRB081204517	Swi[e]
2008 Dec 06	06:35:53	GRB081206275	INT,Kon,Suz
2008 Dec 06	14:29:30	GRB081206604	Suz
2008 Dec 06	23:41:50	GRB081206987	INT,Suz
2008 Dec 07	16:18:46	GRB081207680	AGI,INT,Kon,RHE,Suz
2008 Dec 09	23:32:00	GRB081209981	AGI,Kon,Swi[d]
2008 Dec 13	04:09:41	GRB081213173	INT
2008 Dec 15	18:48:36	GRB081215784	AGI,INT,Kon,LAT,RHE
2008 Dec 15	21:06:52	GRB081215880	Kon,Suz,Swi[d]
2008 Dec 16	12:43:59	GRB081216531	INT,Kon,RHE,Suz,Swi[d]
2008 Dec 17	23:34:48	GRB081217983	INT,Kon,RHE
2008 Dec 21	16:21:11	GRB081221681	Kon,MO,Swi[e]
2008 Dec 22	04:53:59	GRB081222204	AGI,INT,Kon,MO,RHE,Swi[e]
2008 Dec 23	10:03:56	GRB081223419	INT
2008 Dec 24	21:17:56	GRB081224887	AGI,INT,Kon,Suz,Swi[d]
2008 Dec 26	01:03:37	GRB081226044	INT,Swi[e]
2008 Dec 26	03:44:52	GRB081226156	Kon
2008 Dec 26	12:13:11	GRB081226509	INT[g] ,Suz,Swi[d]

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2008 Dec 29	04:29:01	GRB081229187	INT
2008 Dec 31	03:21:02	GRB081231140	INT,Kon,MO
2009 Jan 01	18:11:41	GRB090101758	Kon,RHE
2009 Jan 02	02:55:45	GRB090102122	AGI,INT,Kon,MO,Swi[e]
2009 Jan 07	16:20:36	GRB090107681	INT[g] ,Kon,Suz
2009 Jan 08	00:29:02	GRB090108020	Kon,Suz
2009 Jan 12	07:57:23	GRB090112332	INT,Suz
2009 Jan 12	17:30:15	GRB090112729	Kon,MES,MO,RHE,Suz,Swi[d]
2009 Jan 13	18:40:39	GRB090113778	MES,Suz,Swi[e]
2009 Jan 17	15:10:40	GRB090117632	INT,Kon,Suz
2009 Jan 17	15:21:54	GRB090117640	AGI[h] ,Kon
2009 Jan 20	15:02:21	GRB090120627	Suz
2009 Jan 26	05:52:32	GRB090126245	Suz
2009 Jan 29	21:07:15	GRB090129880	INT,MES,Swi[e]
2009 Jan 31	02:09:21	GRB090131090	AGI,INT,Kon,MES,MO,RHE,Suz,Swi[d]
2009 Feb 02	08:19:30	GRB090202347	INT,Kon,MES
2009 Feb 06	14:52:41	GRB090206620	INT,RHE,Suz
2009 Feb 07	18:39:10	GRB090207777	INT,MES,RHE,Suz,Swi[d]
2009 Feb 17	04:56:42	GRB090217206	INT,Kon,LAT,MES,MO,RHE,Suz
2009 Feb 19	01:46:18	GRB090219074	INT
2009 Feb 25	00:12:23	GRB090225009	AGI
2009 Feb 27	07:25:57	GRB090227310	INT,Kon,MO,RHE,Suz
2009 Feb 27	18:31:01	GRB090227772	INT,Kon,MES,Suz
2009 Feb 28	04:53:20	GRB090228204	AGI,Kon,MES,MO,RHE
2009 Feb 28	23:25:00	GRB090228976	Suz
2009 Mar 01	07:33:37	GRB090301315	INT,RHE,Suz
2009 Mar 04	05:10:48	GRB090304216	INT,MES
2009 Mar 05	01:14:35	GRB090305052	AGI,INT,Kon,MES
2009 Mar 08	17:36:24	GRB090308734	INT,Kon,MES,RHE,Swi[d]
2009 Mar 19	14:55:35	GRB090319622	AGI,INT,Kon
2009 Mar 20	19:13:46	GRB090320801	Kon
2009 Mar 23	00:02:42	GRB090323002	INT,Kon,LAT,MES,MO,Swi[e]

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2009 Mar 27	09:41:41	GRB090327404	Kon,RHE
2009 Mar 28	09:36:46	GRB090328401	AGI,INT,Kon,LAT,MES,RHE,Swi[d]
2009 Mar 28	17:07:06	GRB090328713	AGI,INT,Kon,Suz
2009 Mar 30	06:42:23	GRB090330279	Kon,MES,RHE
2009 Mar 31	16:20:20	GRB090331681	INT
2009 Apr 03	07:32:42	GRB090403314	Kon
2009 Apr 05	15:54:41	GRB090405663	INT,Swi[d]
2009 Apr 09	06:54:01	GRB090409288	INT
2009 Apr 11	20:06:36	GRB090411838	INT,Kon,MES,RHE,Suz,Swi[d]
2009 Apr 11	23:47:44	GRB090411991	Kon,MO,Suz,Swi[d]
2009 Apr 12	01:28:05	GRB090412061	INT
2009 Apr 13	02:55:57	GRB090413122	Kon,MES
2009 Apr 18	19:35:24	GRB090418816	INT,Suz
2009 Apr 19	23:55:05	GRB090419997	Kon,Suz
2009 Apr 22	03:35:16	GRB090422150	Swi[e]
2009 Apr 23	07:55:19	GRB090423330	Swi[e]
2009 Apr 24	14:12:09	GRB090424592	AGI,INT,Kon,MES,RHE,Suz,Swi[e]
2009 Apr 25	09:03:30	GRB090425377	INT,Kon,RHE,Suz
2009 Apr 26	16:33:33	GRB090426690	AGI,Kon
2009 Apr 27	15:27:00	GRB090427644	INT
2009 Apr 27	16:30:23	GRB090427688	Suz
2009 Apr 28	13:15:13	GRB090428552	Kon,Suz
2009 Apr 29	12:43:25	GRB090429530	INT,Kon
2009 Apr 29	18:03:57	GRB090429753	INT,Kon,Swi[d]
2009 May 09	05:10:03	GRB090509215	INT,Kon,Suz,Swi[e]
2009 May 10	00:23:00	GRB090510016	AGI,INT,Kon,MES,MO,Suz,Swi[e]
2009 May 10	07:47:39	GRB090510325	Kon
2009 May 11	16:25:16	GRB090511684	INT,Kon
2009 May 13	21:58:47	GRB090513916	INT
2009 May 14	00:08:39	GRB090514006	Kon,MES,Suz
2009 May 14	17:26:07	GRB090514726	INT,Kon,MES,Suz,Swi[d]
2009 May 16	03:17:20	GRB090516137	AGI,Kon,MES,Suz,Swi[d]

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2009 May 16	08:27:50	GRB090516353	Swi[e]
2009 May 16	20:28:40	GRB090516853	INT,Kon,MES
2009 May 18	01:54:44	GRB090518080	Kon,Swi[e]
2009 May 18	05:51:04	GRB090518244	INT,Kon,MES,Suz
2009 May 19	11:05:27	GRB090519462	RHE
2009 May 19	21:08:56	GRB090519881	Swi[e]
2009 May 20	20:23:19	GRB090520850	Kon,MES,Suz
2009 May 22	08:15:49	GRB090522344	Kon
2009 May 24	08:17:56	GRB090524346	INT,Kon,MES
2009 May 28	04:09:01	GRB090528173	Kon,Suz
2009 May 28	12:22:39	GRB090528516	AGI,INT,Kon,MES,Suz,Swi[d]
2009 May 29	07:26:22	GRB090529310	Kon
2009 May 29	13:32:00	GRB090529564	INT,Kon,MO,Suz
2009 May 30	18:14:24	GRB090530760	INT,Kon,MES,Suz
2009 May 31	18:35:56	GRB090531775	AGI,INT,Suz,Swi[e]
2009 Jun 02	13:32:22	GRB090602564	INT,Kon,Suz,Swi[d]
2009 Jun 06	11:18:08	GRB090606471	MES
2009 Jun 10	15:33:22	GRB090610648	AGI,INT,Kon,MES,Suz,Swi[d]
2009 Jun 10	17:21:31	GRB090610723	Kon
2009 Jun 12	14:50:45	GRB090612619	AGI,Kon,MES,Swi[d]
2009 Jun 17	04:59:53	GRB090617208	AGI,INT,Kon,MES,Suz,Swi[d]
2009 Jun 18	08:28:29	GRB090618353	AGI,INT,Kon,MO,RHE,Suz,Swi[e]
2009 Jun 20	09:36:23	GRB090620400	AGI,INT,Kon,MES,MO,RHE
2009 Jun 21	04:22:43	GRB090621185	Kon,Suz,Swi[e]
2009 Jun 21	10:00:52	GRB090621417	RHE
2009 Jun 21	22:07:25	GRB090621922	Kon,Swi[e]
2009 Jun 23	02:34:21	GRB090623107	INT,Kon,MO,Suz,Swi[d]
2009 Jun 23	21:54:27	GRB090623913	Kon,Suz
2009 Jun 25	05:37:00	GRB090625234	INT
2009 Jun 25	13:26:22	GRB090625560	INT[g] ,Kon,Suz
2009 Jun 26	04:32:10	GRB090626189	INT,Kon,LAT,MES,MO,RHE,Suz,Swi[d]
2009 Jun 26	16:58:45	GRB090626707	Suz

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2009 Jul 04	05:47:48	GRB090704242	INT[g] ,RHE
2009 Jul 04	18:47:00	GRB090704783	Kon
2009 Jul 06	06:47:40	GRB090706283	Swi[d]
2009 Jul 08	03:38:15	GRB090708152	Swi[e]
2009 Jul 09	15:07:42	GRB090709630	Kon,Swi[e]
2009 Jul 11	20:23:22	GRB090711850	INT,Suz
2009 Jul 12	03:51:05	GRB090712160	Kon,Suz,Swi[e]
2009 Jul 13	00:29:28	GRB090713020	Kon,Suz
2009 Jul 17	00:49:36	GRB090717034	AGI,INT,Kon,MO,Suz,Swi[d]
2009 Jul 17	02:40:31	GRB090717111	AGI,INT,Suz
2009 Jul 18	18:18:02	GRB090718762	Kon,MO,Swi[d]
2009 Jul 19	01:31:29	GRB090719063	AGI,Kon,MO
2009 Jul 20	06:38:08	GRB090720276	INT,Kon,RHE,Swi[e]
2009 Jul 20	17:02:56	GRB090720710	AGI,INT,Kon,Suz
2009 Jul 26	05:14:07	GRB090726218	Suz
2009 Jul 30	14:35:11	GRB090730608	Kon
2009 Aug 02	05:39:03	GRB090802235	AGI,INT,Kon,RHE,Swi[d]
2009 Aug 04	22:33:20	GRB090804940	INT,Kon,MES,Suz,Swi[d]
2009 Aug 07	19:57:59	GRB090807832	Swi[d]
2009 Aug 09	23:28:14	GRB090809978	AGI,INT,Kon,MES,RHE
2009 Aug 10	15:49:07	GRB090810659	Kon,Suz
2009 Aug 10	18:44:44	GRB090810781	Kon
2009 Aug 11	16:41:50	GRB090811696	Kon,MES
2009 Aug 13	04:10:43	GRB090813174	INT,Kon,MO,Suz,Swi[e]
2009 Aug 14	08:49:41	GRB090814368	AGI,INT,Kon,MES
2009 Aug 14	22:47:28	GRB090814950	Kon,MES,Swi[d]
2009 Aug 15	07:12:12	GRB090815300	INT
2009 Aug 15	10:30:41	GRB090815438	Kon
2009 Aug 15	22:41:46	GRB090815946	Swi[d]
2009 Aug 17	00:51:33	GRB090817036	INT[g] ,Kon,Suz,Swi[d]
2009 Aug 19	14:34:27	GRB090819607	INT
2009 Aug 20	00:38:16	GRB090820027	AGI,INT,Kon,RHE,Suz,Swi[d]

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2009 Aug 23	03:10:53	GRB090823133	Swi[d]
2009 Aug 24	22:02:19	GRB090824918	Kon
2009 Aug 26	01:37:31	GRB090826068	Suz
2009 Aug 28	02:23:31	GRB090828099	AGI,INT,Kon,MES,Suz,Swi[d]
2009 Aug 29	16:07:38	GRB090829672	AGI,Kon,MES,MO,Suz,Swi[d]
2009 Aug 29	16:50:40	GRB090829702	MES,RHE
2009 Aug 31	07:36:36	GRB090831317	INT,Kon,MAXI,Suz
2009 Sep 02	09:38:05	GRB090902401	INT,Suz,Swi[d]
2009 Sep 02	11:05:08	GRB090902462	INT,LAT,RHE,Suz,Swi[d]
2009 Sep 04	01:24:18	GRB090904058	INT,Kon,Suz,Swi[e]
2009 Sep 04	13:57:17	GRB090904581	Kon,Suz
2009 Sep 07	19:23:47	GRB090907808	Kon
2009 Sep 08	07:31:52	GRB090908314	Kon
2009 Sep 08	08:10:39	GRB090908341	INT,Kon,MES,Swi[d]
2009 Sep 09	11:41:17	GRB090909487	Kon,Suz
2009 Sep 10	19:29:48	GRB090910812	Kon,MES
2009 Sep 12	15:50:29	GRB090912660	Kon,Suz,Swi[e]
2009 Sep 15	15:35:36	GRB090915650	Kon,Suz,Swi[e]
2009 Sep 17	15:51:38	GRB090917661	Suz
2009 Sep 20	00:49:59	GRB090920035	Kon
2009 Sep 22	12:56:42	GRB090922539	AGI,Kon,MES,RHE,Suz
2009 Sep 22	14:30:41	GRB090922605	Kon,MES,RHE,Suz
2009 Sep 24	14:59:54	GRB090924625	INT
2009 Sep 25	09:20:33	GRB090925389	Kon,MES,RHE,Suz
2009 Sep 26	04:20:26	GRB090926181	AGI,INT,Kon,LAT,MES,MO,RHE,Suz,Swi[d]
2009 Sep 26	21:55:48	GRB090926914	Kon,MES,Swi[e]
2009 Sep 27	10:07:16	GRB090927422	INT,Suz,Swi[e]
2009 Sep 28	15:29:44	GRB090928646	Kon,MES,Suz
2009 Sep 29	04:33:03	GRB090929190	INT,Kon,RHE,Suz,Swi[e]
2009 Oct 03	04:35:45	GRB091003191	AGI,INT,Kon,LAT,MES,Suz,Swi[d]
2009 Oct 10	02:43:09	GRB091010113	AGI[h] ,INT,Kon,MES,RXTE,Suz
2009 Oct 12	18:47:02	GRB091012783	AGI,INT,Kon,Suz,Swi[d]

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2009 Oct 13	23:44:25	UNCERT09101398	Kon
2009 Oct 17	20:40:24	GRB091017861	Suz
2009 Oct 17	23:38:57	GRB091017985	Suz
2009 Oct 18	22:58:20	GRB091018957	INT
2009 Oct 20	21:36:44	GRB091020900	INT,Kon,MO,Swi[e]
2009 Oct 20	23:26:34	GRB091020977	Kon,MO,Swi[d]
2009 Oct 23	00:29:44	GRB091023021	Suz
2009 Oct 24	08:56:01	GRB091024380	INT,Kon,RHE,Swi[e]
2009 Oct 26	11:38:48	GRB091026485	Kon,Suz
2009 Oct 26	13:11:30	GRB091026550	INT,Kon,Swi[e]
2009 Oct 30	14:43:16	GRB091030613	Kon,Suz
2009 Oct 30	19:52:26	GRB091030828	Kon,RHE,Suz
2009 Oct 31	12:00:28	GRB091031500	Kon,LAT,MO,Suz,Swi[d]
2009 Nov 01	03:26:32	GRB091101143	Kon,RHE,Suz
2009 Nov 02	14:34:38	GRB091102607	Kon,Suz,Swi[e]
2009 Nov 03	21:53:51	GRB091103912	Kon,Suz
2009 Nov 06	18:17:12	GRB091106762	Kon
2009 Nov 07	15:13:59	GRB091107635	Kon,Suz
2009 Nov 09	21:28:40	GRB091109895	Kon,Suz
2009 Nov 12	17:41:21	GRB091112737	Kon,Suz,Swi[e]
2009 Nov 12	22:15:51	GRB091112928	Kon
2009 Nov 15	04:14:50	GRB091115177	Kon
2009 Nov 20	04:34:36	GRB091120191	AGI,INT,Kon,MO,RHE
2009 Nov 22	03:54:20	GRB091122163	INT
2009 Nov 23	01:55:59	GRB091123081	Kon
2009 Nov 23	07:08:37	GRB091123298	AGI,INT,Kon,Suz
2009 Nov 26	07:59:24	GRB091126333	INT,Kon,Suz
2009 Nov 26	09:19:48	GRB091126389	INT
2009 Nov 27	23:25:45	GRB091127976	INT,Kon,MO,RHE,Suz,Swi[e]
2009 Nov 28	06:50:34	GRB091128285	AGI,INT,Kon,RHE
2009 Dec 02	01:44:06	GRB091202072	Kon,Suz
2009 Dec 02	05:15:42	GRB091202219	Swi[d]

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2009 Dec 07	08:00:10	GRB091207333	INT,Kon
2009 Dec 08	09:49:57	GRB091208410	INT,Kon,RHE,Swi[e]
2009 Dec 09	00:00:44	GRB091209001	Kon
2009 Dec 15	05:37:27	GRB091215234	Kon
2009 Dec 19	11:04:45	GRB091219462	Kon,Suz
2009 Dec 20	10:36:50	GRB091220442	Kon,Suz
2009 Dec 21	20:52:52	GRB091221870	INT,Kon,MES,MO,RHE,Suz,Swi[e]
2009 Dec 23	04:35:09	GRB091223191	INT,Swi[d]
2009 Dec 23	12:15:53	GRB091223511	Kon,Swi[d]
2009 Dec 27	07:03:13	GRB091227294	Kon,MES,MO
2009 Dec 30	17:05:14	GRB091230712	Kon
2009 Dec 31	04:56:36	GRB091231206	Kon,MES,Swi[d]
2010 Jan 01	23:42:13	GRB100101988	INT,MO,Swi[d]
2010 Jan 11	04:12:49	GRB100111176	INT,Kon,MO,Suz,Swi[e]
2010 Jan 16	21:31:00	GRB100116897	INT,Kon,LAT,MES,RHE,Suz
2010 Jan 17	21:06:19	GRB100117879	INT,Swi[e]
2010 Jan 18	02:23:33	GRB100118100	INT,Kon,MES,RHE,Suz
2010 Jan 22	14:47:37	GRB100122616	INT,Kon,MES,MO,RHE
2010 Jan 26	11:03:05	GRB100126460	Swi[d]
2010 Jan 30	17:29:24	GRB100130729	INT,Kon,Suz
2010 Jan 30	18:38:35	GRB100130777	Kon,MES,MO,RHE,Suz
2010 Jan 31	17:30:57	GRB100131730	INT,Kon,MES,MO,Suz,Swi[d]
2010 Feb 01	14:06:17	GRB100201588	Kon
2010 Feb 04	00:33:53	GRB100204024	Kon,Suz
2010 Feb 04	13:34:43	GRB100204566	Suz
2010 Feb 05	11:45:38	GRB100205490	INT,Kon,MES,RHE
2010 Feb 06	13:30:05	GRB100206563	INT,Kon,Suz,Swi[e]
2010 Feb 07	15:57:54	GRB100207665	Kon,Suz
2010 Feb 08	09:15:33	GRB100208386	INT
2010 Feb 10	02:24:49	GRB100210101	Kon
2010 Feb 11	10:33:50	GRB100211440	Kon,MES,MO,RHE,Suz
2010 Feb 12	13:11:45	GRB100212550	AGI,INT,Kon,MES

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2010 Feb 12	14:07:22	GRB100212588	Swi[e]
2010 Feb 16	10:07:00	GRB100216422	Swi[e]
2010 Feb 18	04:38:45	GRB100218194	Kon
2010 Feb 19	00:37:14	GRB100219026	Kon
2010 Feb 23	02:38:11	GRB100223110	AGI,INT,Kon,MES,MO,Suz,Swi[d]
2010 Feb 24	02:41:10	GRB100224112	Kon,MES,MO,Suz,Swi[d]
2010 Feb 25	02:45:31	GRB100225115	INT,Kon,LAT,MES,Suz,Swi[e]
2010 Feb 25	05:59:05	GRB100225249	Suz
2010 Feb 25	13:55:29	GRB100225580	Kon,MES,Suz
2010 Feb 25	16:52:18	GRB100225703	Kon,MES,MO,Suz
2010 Mar 01	05:21:46	GRB100301223	Kon
2010 Mar 04	00:05:20	GRB100304004	Kon,Suz
2010 Mar 04	12:48:18	GRB100304534	Kon
2010 Mar 11	12:25:54	GRB100311518	Kon
2010 Mar 13	06:54:23	GRB100313288	Kon,MES,MO
2010 Mar 22	01:05:05	GRB100322045	INT,Kon,MES,Suz
2010 Mar 23	13:00:44	GRB100323542	Kon,Suz
2010 Mar 24	04:07:36	GRB100324172	Kon,MES,MO,Suz
2010 Mar 25	05:54:43	GRB100325246	Swi[d]
2010 Mar 25	06:36:08	GRB100325275	INT,Kon,LAT,MES,Swi[d]
2010 Mar 26	07:03:05	GRB100326294	AGI,Swi[d]
2010 Mar 26	09:38:20	GRB100326402	Kon,MES
2010 Mar 30	07:24:58	GRB100330309	Kon,MES
2010 Apr 01	07:07:31	GRB100401297	Suz,Swi[e]
2010 Apr 10	17:45:47	GRB100410740	Kon,MES,MO,Suz,Swi[d]
2010 Apr 13	17:33:28	GRB100413732	INT,Kon,MES,Suz,Swi[e]
2010 Apr 14	02:20:21	GRB100414097	Kon,LAT,MES,MO,Suz
2010 Apr 20	00:12:07	GRB100420008	Kon,Suz
2010 Apr 21	21:59:48	GRB100421917	Kon,MES,Suz
2010 Apr 23	05:51:25	GRB100423244	AGI,Kon,MES,MO
2010 Apr 24	17:30:10	GRB100424729	Suz
2010 Apr 24	21:01:52	GRB100424876	INT,Kon,MES,Suz

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2010 Apr 27	08:31:55	GRB100427356	Kon,MES,Suz,Swi[e]
2010 Apr 29	23:59:51	GRB100429999	INT,Suz
2010 May 01	03:07:21	TGF100501128	Kon,MES,RHE,Suz,Swi[e]
2010 May 02	08:33:02	GRB100502356	Kon,MES,Suz
2010 May 03	13:18:03	GRB100503554	INT,Kon,MES,RHE
2010 May 04	19:20:59	GRB100504806	Swi[e]
2010 May 06	15:39:49	GRB100506653	Kon,RHE,Suz
2010 May 07	13:51:15	GRB100507577	Kon,RHE
2010 May 10	19:27:06	GRB100510810	RHE
2010 May 11	00:49:56	GRB100511035	Kon,MES,RHE
2010 May 13	21:05:57	GRB100513879	INT,RHE
2010 May 15	11:13:09	GRB100515467	INT,Kon,MO,RHE,Suz
2010 May 16	08:50:41	GRB100516369	INT
2010 May 17	01:43:08	GRB100517072	RHE,Swi[d]
2010 May 17	03:09:49	GRB100517132	Suz
2010 May 17	03:42:08	GRB100517154	MES
2010 May 17	05:49:52	GRB100517243	Suz
2010 May 17	15:19:58	GRB100517639	Kon,RHE,Suz
2010 May 19	04:53:22	GRB100519204	Kon,MES,MO
2010 May 22	03:45:52	GRB100522157	INT,Kon,RHE,Suz,Swi[e]
2010 May 25	17:51:25	GRB100525744	Suz,Swi[d]
2010 May 27	19:04:37	GRB100527795	Kon,MES,Suz
2010 May 28	01:48:01	GRB100528075	AGI[h] ,INT,Kon,MES,MO,Suz
2010 May 30	17:41:51	GRB100530737	Kon
2010 Jun 04	06:53:37	GRB100604287	INT,Kon,MES,Suz
2010 Jun 09	18:48:11	GRB100609783	Kon,MO
2010 Jun 12	13:04:21	GRB100612545	AGI,Kon
2010 Jun 12	17:26:06	GRB100612726	AGI,Kon,MES,MO,Suz,Swi[d]
2010 Jun 14	11:57:23	GRB100614498	Suz
2010 Jun 15	01:59:03	GRB100615083	INT,Kon,MES,Suz,Swi[e]
2010 Jun 19	00:21:07	GRB100619015	RHE,Suz,Swi[e]
2010 Jun 20	02:51:29	GRB100620119	INT,Kon,MES,MO,Suz

Table 2—Continued

Date	Universal Time [a]	GBM Identifier [b]	Observed by [c]
2010 Jun 21	10:51:18	GRB100621452	Kon
2010 Jun 21	12:42:16	GRB100621529	INT
2010 Jun 25	18:32:28	GRB100625773	AGI,INT,Kon,MES,MO,Suz,Swi[e]
2010 Jun 25	21:22:45	GRB100625891	Kon,Suz,Swi[d]
2010 Jun 29	19:14:03	GRB100629801	INT,Kon,MES,MO,Suz,Swi[d]
2010 Jul 01	11:45:23	GRB100701490	INT,Kon,MES,Suz
2010 Jul 04	03:35:08	GRB100704149	INT,Kon,Swi[e]
2010 Jul 07	00:46:38	GRB100707032	Kon,MES,MO,Suz
2010 Jul 09	14:27:32	GRB100709602	INT,Kon,MO,RHE,Suz

[a] Universal time is the trigger time of a near-Earth spacecraft

[b] Two events were not listed as GRBs in the GBM catalog; we have confirmed however that they are valid cosmic events

[c] AGI: *Astro-rivelatore Gamma a Immagini LEggero* (AGILE); INT: *International Gamma-Ray Laboratory*; Kon: *Konus-Wind*; LAT: *Fermi Large Area Telescope*; MAXI: *Monitor of All-sky X-ray Image*; MES: *Mercury Surface, Space Environment, Geochemistry, and Ranging* mission; MO: *Mars Odyssey*; RHE: *Ramaty High Energy Solar Spectroscopic Imager*; RXTE: *Rossi X-Ray Timing Explorer*; Suz: *Suzaku*; Swi: *Swift*

[d] Burst was outside the coded field of view of the BAT, and not localized by it

[e] Burst was localized by Swift-BAT; IPN triangulation cannot improve on this localization

[f] Burst was localized by SuperAGILE and INTEGRAL-ISGRI; IPN triangulation cannot improve on this localization

[g] Burst was localized by INTEGRAL-IBIS; IPN triangulation cannot improve on this localization

[h] Burst was localized by SuperAGILE; IPN triangulation cannot improve on this localization

Table 3. *IPN annuli.*

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R_1	δR_1	α_2	δ_2	R_2	δR_2	β_1	β_2	α	δ	R	α	δ	R
080715	22:48:40	214.70	9.90	18.97	148.5700	14.4501	60.4476	.2762	273.7136	-26.1485	71.1855	1.1180	15.6	35.6	...	...	...	...	...	...
080723	23:37:42	105.30	71.10	18.25	97.6959	20.2042	53.9516	1.7380	158.3648	10.1273	70.8100	.0376	40.0	65.0	...	...	...	...	...	...
080724	09:37:40	358.30	32.90	18.63	99.5830	24.5094	85.2107	1.0781	97.4219	21.5770	84.9255	1.1054	35.0	85.0	122.9	-28.4	66.4	...	...	...
080730	12:29:15	245.40	4.60	19.07	284.9798	-23.2105	60.0101	11.7374	...	...	...	...	28.2	48.2	...	...	...	...	...	...
080730	18:51:38	246.60	28.70	19.07	165.8007	6.4610	78.9123	.0519	284.9162	-22.9711	67.3606	1.1944	49.3	69.3	...	...	...	...	...	...
080802	09:15:10	154.30	40.70	21.80	105.5186	19.2785	60.6310	1.3190	107.5252	22.2428	57.0119	1.3335	4.6	90.0	...	...	...	...	...	...
080803	18:31:20	300.10	82.80	25.24	169.8581	4.3476	84.4750	.4333	110.2713	17.1546	71.7722	11.7110	20.0	90.0	...	...	...	...	...	...
080806	21:29:40	241.80	46.70	19.99	292.1525	-20.8726	79.9714	3.2625	172.9066	2.7178	74.0460	.2645	34.5	90.0	...	...	...	...	...	...
080807	23:50:32	101.70	-16.00	19.62	113.3169	20.6681	31.5669	2.2662	...	...	...	...	-36.5	-16.5	...	...	...	...	...	...
080816	12:04:18	156.20	42.60	18.97	181.6313	-2.0874	56.3418	.2924	181.2257	-1.9328	56.0851	.1783	50.0	80.0	...	...	...	...	...	...
080816	23:43:54	289.50	-6.80	24.02	2.0495	2.3216	82.3595	.2139	303.0135	-11.6930	23.5681	5.2374	4.6	24.6	...	...	...	...	...	...
080817	03:52:10	148.90	-16.30	18.25	182.1957	-2.4029	38.8387	.1706	124.4176	16.6922	41.1837	2.3554	-37.6	-17.6	...	...	...	...	...	...
080817	17:17:07	80.20	-17.10	24.83	2.2713	2.5173	83.5771	.1073	...	...	...	...	...	...	...	...	...	...	...	...
080821	07:57:26	238.60	32.60	20.99	185.6805	-4.3586	73.1687	.2830	310.4076	-14.6559	73.7359	3.9202	39.7	90.0	...	...	...	...	...	...
080824	21:48:54	122.40	-2.80	18.25	136.1147	12.5284	22.6744	3.5522	...	...	...	...	-26.1	-6.1	...	...	...	...	...	...
080825	14:13:48	231.30	-3.13	18.25	189.0673	-6.2639	45.6623	.0794	316.8252	-11.8459	80.7169	.9667	4.6	24.6	...	...	...	233.9600	-4.7200	1.5000
080830	08:50:16	160.10	30.80	19.50	192.6327	-8.2692	50.5341	.1876	144.9012	8.5444	34.2124	11.4963	15.0	65.0	...	...	...	...	...	...
080906	05:05:11	182.80	-6.40	18.42	157.0024	3.3962	28.9323	3.4985	197.2020	-10.8345	13.6815	.3987	-5.0	10.0	...	...	...	...	...	...
080916	00:12:45	124.31	-54.72	18.25	201.8800	-13.5022	74.3952	.0733	174.9476	-9.9746	63.2533	1.8652	-80.2	-60.2	...	...	...	...	...	...
080925	18:35:55	96.10	18.20	18.36	13.3464	10.7060	81.1758	1.9824	21.8102	13.6493	71.2117	.1731	-11.3	8.7	...	...	...	...	...	...
081003	15:27:18	259.10	35.40	27.43	206.3112	-14.4858	74.3897	6.6077	...	...	...	...	28.2	48.2	...	...	...	...	...	...
081009	03:20:58	250.50	18.40	18.25	189.2711	-5.2873	65.8180	.4675	215.0915	-16.2463	49.3331	3.3047	63.0	87.0	...	...	...	...	...	...
081009	16:31:50	64.60	14.20	19.07	8.7661	4.8497	58.7294	.5561	...	...	...	...	-16.9	3.1	...	...	...	...	...	...

Table 3—Continued

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R$_1$	δR_1	α_2	δ_2	R$_2$	δR_2	β_1	β_2	α	δ	R	α	δ	R
081021	09:33:28	190.30	-25.60	21.80	189.2842	-1.8576	23.8664	.7880	189.6500	-2.0238	23.6428	.4126	-29.0	-9.0	...	...	...	...	...	...
081101	12:45:24	207.50	-28.00	18.30	201.9032	-6.8990	24.6913	.2791	240.2875	-18.2625	29.7373	2.5185	-24.4	-4.4	...	...	...	...	...	...
081102	08:44:58	225.30	22.00	31.46	203.2405	-7.4582	38.5514	.0889	153.6906	82.7345	55.5221	15.0828	...	...	148.0	-28.4	66.4	...	...	...
081110	14:25:43	111.70	21.40	18.79	33.4004	11.7601	74.2080	.1295	66.8745	18.0281	42.5813	2.7672	-9.8	10.2	...	...	...	...	...	...
081122	12:28:12	339.10	40.00	18.25	70.8457	21.7425	78.1267	1.0350	71.9688	17.6251	81.5476	1.0687	90.0	40.0	...	...	...	...	...	...
081125	11:53:39	42.70	-18.90	18.25	64.4817	21.7596	46.0248	.0341	72.6694	17.4402	45.6941	2.6250	-39.6	-19.6	...	...	...	...	...	...
081129	03:52:04	63.20	-54.90	20.12	73.9976	17.3628	74.6374	1.0860	...	...	...	...	-84.5	-64.5	...	...	...	...	...	...
081207	16:18:46	112.40	70.50	18.36	76.8160	17.1712	61.1915	15.6186	...	...	...	...	34.5	54.5	...	...	...	...	...	...
081215	18:48:36	137.33	50.06	18.25	78.6734	17.6108	51.5856	.4754	...	...	...	...	30.2	50.2	...	...	...	...	...	...
081215	21:06:52	228.60	-50.70	24.22	258.6720	-17.6600	31.8865	31.8865	...	...	...	...	-55.0	5.0	...	...	...	...	...	...
081224	21:17:56	201.70	75.10	18.25	81.3498	18.3806	79.6385	1.3476	...	...	...	...	48.0	64.0	...	...	...	...	...	...
081231	03:21:02	208.60	-35.80	18.25	273.0438	-24.1228	54.1641	.0456	263.9243	-19.1782	49.3904	1.4219	-27.6	-7.6	...	...	...	...	...	...
090108	00:29:02	260.80	46.00	21.31	268.0374	-20.2497	70.6224	.4506	...	...	...	...	4.6	90.0	...	...	...	...	...	...
090112	17:30:15	192.30	25.40	18.71	103.4664	23.6754	86.4277	.0494	119.6448	23.0636	72.4593	.0964	15.6	35.6	...	...	...	...	...	...
090131	02:09:21	352.30	21.20	18.25	298.5750	-21.7943	63.8357	.0245	328.7673	-13.9905	38.2071	.0612	20.3	40.3	...	...	...	...	...	...
090202	08:19:30	274.30	-2.00	19.62	332.1012	-12.3915	56.8661	.3639	...	...	...	...	5.0	15.0	...	...	...	...	...	...
090207	18:39:10	252.70	34.90	21.31	158.6726	8.6220	78.2607	.1312	...	...	...	...	...	...	...	...	...	...	...	...
090217	04:56:42	211.21	-11.69	18.26	163.4114	3.7245	42.7526	.1665	132.3216	18.8384	76.1238	.0117	...	...	...	...	...	205.5000	-5.7000	10.0000
090227	07:25:57	3.30	-43.00	18.36	320.2128	-16.6316	46.7292	.1063	335.9018	-16.0986	40.7007	4.3595	-37.0	-11.0	...	...	...	...	...	...
090228	04:53:20	103.21	-26.72	18.28	155.7758	4.7945	64.3342	.1158	140.9086	16.4197	60.8834	.0074	-45.0	-20.0	...	...	...	98.0000	-28.0000	1.0000
090304	05:10:48	195.90	-73.40	41.06	332.4406	-6.4291	82.6744	.1271	...	...	...	...	...	...	...	...	...	...	...	...
090305	01:14:35	135.00	74.30	24.22	151.5868	6.6713	63.4382	.1433	167.1193	11.8349	57.9499	1.6254	10.3	90.0	...	...	...	...	...	...
090308	17:36:24	21.90	-54.30	23.05	329.2901	-8.0950	62.0256	.2980	354.6194	-8.8307	51.0620	1.7867	-90.0	-44.5	...	...	...	...	...	...

Table 3—Continued

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R_1	δR_1	α_2	δ_2	R_2	δR_2	β_1	β_2	α	δ	R	α	δ	R
090323	00:02:42	190.09	21.09	18.25	149.3567	11.2921	40.5023	.1696	158.0883	10.4254	32.3125	.0550	7.7	27.7	...	...	...	190.6900	17.0800	.0900
090328	09:36:46	95.90	-45.12	18.26	152.3070	11.3885	77.6023	.0900	26.8055	7.8537	76.3058	1.2914	-74.8	-54.8	...	...	...	90.8700	-41.9500	.1100
090328	17:07:06	155.70	33.40	29.76	207.4350	-7.8593	64.5005	.4451	...	...	...	...	-1.0	90.0	...	...	...	...	...	...
090330	06:42:23	160.20	-8.20	19.07	154.2451	11.0813	21.8506	.5298	...	...	...	...	-20.9	-.9	...	...	...	...	...	...
090411	20:06:36	156.00	-68.90	19.39	164.6836	9.0439	79.0359	.1163	223.5713	-16.3117	67.6912	2.9251	-90.0	-53.0	...	...	...	...	...	...
090411	23:47:44	38.50	5.10	19.39	352.7834	-4.3904	53.3750	.0351	44.0175	16.5054	6.8687	6.8687	-14.7	5.3	...	...	...	...	...	...
090413	02:55:57	266.50	-9.20	24.42	346.6254	-8.3957	76.9467	.2031	...	...	...	...	4.6	90.0	...	...	...	...	...	...
090425	09:03:30	118.60	68.10	19.07	54.6224	21.7988	62.2095	1.8367	...	...	...	...	42.6	90.0	...	...	...	...	...	...
090429	18:03:57	125.21	6.20	22.72	57.5828	23.1444	63.9152	1.4058	...	...	...	...	...	...	...	...	...	...	...	...
090514	00:08:39	12.30	-10.90	22.68	25.8450	7.3031	19.1933	.2125	...	...	...	...	-9.8	10.2	...	...	...	...	...	...
090514	17:26:07	304.32	-24.40	24.36	26.6194	7.5831	74.6555	.1822	244.5882	-25.9496	65.0827	1.1459	-16.9	3.1	...	...	...	...	...	...
090516	03:17:20	122.20	-71.62	19.62	208.8392	-8.5505	85.0325	.7368	...	...	...	...	-90.0	-60.7	...	...	...	...	...	...
090516	20:28:40	15.70	-13.70	20.84	29.9844	9.0452	27.7172	.5426	65.6096	26.3750	59.9054	1.8048	-29.0	-9.0	...	...	...	...	...	...
090518	05:51:04	211.20	-16.70	22.50	212.5561	-10.2013	3.2793	3.2990	...	...	...	...	-12.3	7.7	136.3	-20.7	67.0	...	...	...
090520	20:23:19	111.20	-19.70	18.36	36.9220	12.0225	82.3318	.2114	66.7819	27.0757	66.9686	2.8174	-31.4	-90.0	...	...	...	...	...	...
090524	08:17:56	329.50	-67.40	18.42	247.9527	-27.1061	63.8503	5.8176	223.1637	-14.4882	83.3430	.0765	-59.2	-39.2	...	...	...	...	...	...
090528	12:22:39	312.20	32.70	18.25	51.1063	17.2948	89.9223	.0388	248.9428	-27.3953	83.6835	1.0270	49.3	69.3	...	...	...	...	...	...
090529	13:32:00	162.70	47.30	18.55	206.2773	-9.7846	69.2276	.0169	69.1448	27.6334	71.9516	1.0800	34.0	85.0	...	...	...	...	...	...
090530	18:14:24	73.20	13.80	18.25	55.9332	18.8934	14.5498	.5579	...	...	...	...	-14.7	5.3	...	...	...	...	...	...
090606	11:18:08	146.94	-70.49	24.52	251.3088	-22.7506	73.0907	.2746	...	...	...	...	...	...	...	...	...	...	...	...
090610	15:33:22	84.20	35.42	23.78	81.5106	24.3271	17.3148	.2979	...	...	...	...	1.1	90.0	...	...	...	...	...	...
090612	14:50:45	81.03	17.71	19.12	86.3061	24.7880	19.2134	.2030	...	...	...	...	-27.6	-7.6	...	...	...	...	...	...
090617	04:59:53	78.89	15.65	21.99	97.3932	25.1146	12.4002	.2156	73.9443	27.8271	13.2312	5.6557	...	...	...	...	...	...	...	...

Table 3—Continued

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R_1	δR_1	α_2	δ_2	R_2	δR_2	β_1	β_2	α	δ	R	α	δ	R
090620	09:36:23	237.35	61.15	18.25	221.8979	-15.2888	80.5461	.0338	104.6195	24.8223	82.4050	.0422	64.4	84.4	...	...	...	...	...	...
090623	02:34:21	309.00	-43.24	19.00	223.8522	-15.8909	77.8196	.0168	256.7220	-27.4026	48.3202	1.3930	-38.6	-18.6	...	...	...	...	...	...
090626	04:32:10	169.30	-36.05	18.25	226.0794	-16.5535	52.5116	.0129	116.6563	23.3876	76.4606	.0164	-43.2	-23.2	...	...	...	170.0100	-33.5000	.3200
090717	00:49:36	92.41	-62.48	18.34	61.2166	20.2954	87.2334	.0646	90.6005	24.7596	88.5843	2.0038	-70.2	-90.0	...	...	...	...	...	...
090718	18:18:02	274.12	-36.39	18.34	242.4754	-20.5447	32.4318	.0913	272.1713	-24.3958	16.1659	4.5423	-20.9	-.9	...	...	...	...	...	...
090719	01:31:29	341.72	-67.86	18.25	242.6922	-20.5886	74.5886	.0343	272.9733	-24.4840	62.5943	1.2365	-65.5	-45.5	...	...	...	...	...	...
090720	17:02:56	203.00	-54.80	20.01	274.4339	-23.9652	61.0041	.6310	274.4258	-18.7723	64.6324	.6403	-43.2	-23.2	...	...	...	...	...	...
090802	05:39:03	84.33	34.09	21.47	107.3098	16.3920	39.7807	2.2092	108.0121	20.5892	37.9867	.9737	...	...	...	...	...	...	...	...
090804	22:33:20	130.40	-11.30	18.25	170.5911	2.3541	44.2992	.0902	111.8847	19.6231	35.8863	2.1042	-38.6	-18.6	...	...	...	...	...	
090809	23:28:14	95.25	.16	18.36	174.9508	-.2522	76.1190	.2652	118.5188	17.5701	20.1986	3.9408	-35.4	-15.4	...	...	...	...	...	
090811	16:41:50	277.05	22.22	28.91	355.8579	.9190	85.7904	.0756	...	...	...	...	...	75.0	...	...	...	...	...	...
090814	08:49:41	332.48	58.92	24.48	358.3497	2.3591	70.4783	.0720	305.7513	-15.2704	85.5427	1.2715	...	90.0	...	...	...	...	...	...
090814	22:47:28	307.65	45.72	19.09	358.7693	2.6243	61.4077	.2300	...	...	...	...	20.3	90.0	...	...	...	...	...	...
090820	00:38:16	87.70	27.06	18.25	135.0657	12.0232	44.1691	1.8937	...	...	...	...	-3.6	16.4	...	...	...	...	...	...
090828	02:23:31	124.38	-26.14	18.36	185.8615	-7.4122	57.8614	.2292	150.1167	6.0719	37.9045	2.7927	-53.4	-33.4	...	...	...	...	...	...
090829	16:07:38	329.23	-34.19	18.25	272.5797	-23.5677	45.0800	.0170	5.9261	7.6379	60.2763	.0375	...	...	...	...	...	...	...	...
090829	16:50:40	354.99	-9.36	20.46	5.9390	7.6412	26.5634	1.0664	...	...	...	...	...	...	...	...	...	...	...	...
090831	07:36:36	145.10	50.97	18.90	155.5846	3.7718	49.2258	.9008	156.5392	-3.3614	56.6147	.8034	24.7	44.7	...	...	...	145.4000	51.4000	1.0000
090907	19:23:47	81.06	20.50	21.78	169.6541	-1.6532	80.8824	1.6376	...	...	...	...	-35.0	...	...	...	...	...	...	...
090908	08:10:39	174.10	-25.13	22.63	185.7723	-8.1590	30.9598	.2597	...	...	...	...	...	...	...	...	...	...	...	...
090910	19:29:48	296.23	72.28	18.25	4.8359	7.6034	74.7382	.1722	354.6985	3.8702	76.4648	1.3731	57.3	77.3	...	...	...	...	...	...
090922	12:56:42	17.16	74.30	18.25	355.1137	.6890	75.0967	.1383	15.4562	10.5543	65.6541	1.3833	49.3	69.3	...	...	...	...	...	...
090922	14:30:41	38.36	-73.08	20.60	355.0584	.6395	55.5429	.1086	...	...	...	...	-36.0	-56.0	...	...	...	...	...	...

Table 3—Continued

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R_1	δR_1	α_2	δ_2	R_2	δR_2	β_1	β_2	α	δ	R	α	δ	R
090925	09:20:33	333.21	14.27	22.41	353.1571	-1.2774	27.5475	1.0352	19.8471	11.7270	51.3759	14.0927	16.7	36.7	...	...	...	...	...	...
090926	04:20:26	350.10	-63.52	18.25	290.1476	-22.8339	58.5230	.0165	352.4238	-1.9326	64.3894	.0416	-62.6	-42.6	...	...	...	353.5600	-66.3400	.0400
090928	15:29:44	103.91	-43.53	32.23	172.1562	2.9556	78.4748	.1858	204.6445	-12.9331	78.3905	6.2573	-90.0	-44.5	...	...	...	...	...	...
091012	18:47:02	109.40	87.27	19.44	41.7359	20.5935	63.7255	.5447	41.3942	15.6689	68.6576	.3217	18.0	90.0	...	...	...	...	...	...
091020	23:26:34	187.80	-13.40	19.14	124.5419	20.9049	75.2365	.0155	228.8537	-16.2949	34.7658	1.9756	-14.7	-5.3	...	...	...	...	...	...
091030	19:52:26	41.67	21.54	18.36	55.4488	16.1806	14.9770	11.0349	...	...	...	...	-3.2	16.8	...	...	...	...	...	...
091031	12:00:28	70.58	-59.08	18.26	309.1375	-20.0955	88.8449	.0737	55.9841	16.0873	74.8612	1.1081	-87.4	-67.4	...	...	...	71.7000	-57.5000	.3000
091101	03:26:32	29.80	-33.68	19.17	56.1646	16.3198	55.8021	.5751	...	...	...	...	-44.8	-24.8	...	...	...	...	...	...
091120	04:34:36	224.29	-26.91	18.25	316.8477	-18.6414	83.2806	.0572	243.4479	-20.8828	15.5447	4.3371	-3.6	16.4	...	...	...	226.8100	-21.7900	.5000
091126	07:59:24	83.25	-19.27	24.20	65.4304	20.8874	47.5018	1.3840	65.8313	15.9883	41.6668	.7000	-90.0	90.0	...	...	...	...	...	...
091128	06:50:34	127.69	1.73	18.49	64.3249	19.6591	67.3524	2.3836	66.2727	15.9482	65.1148	1.9878	-22.7	-2.7	...	...	...	...	...	...
091227	07:03:13	296.94	3.33	20.51	322.8413	-18.4256	30.6350	1.8197	294.4381	-23.9210	23.6699	.3646	...	...	...	...	...	...	...	...
091231	04:56:36	195.53	-54.09	18.88	300.1137	-22.7132	80.3742	.1222	258.2901	-19.9852	58.0715	7.0156	-47.1	-27.1	...	...	...	...	...	...
100101	23:42:13	81.78	19.44	38.28	142.1839	18.8842	46.6324	.1724	...	...	...	...	...	...	...	...	...	...	...	...
100116	21:31:00	308.40	22.69	18.25	314.7184	-15.9222	31.8694	.1420	273.2250	-26.6757	51.6327	2.8817	21.7	41.7	...	...	...	305.0200	14.4500	.3000
100118	02:23:33	9.26	-37.37	25.18	313.7996	-15.7885	57.3158	.0734	273.5511	-23.4751	75.8956	2.3982	-54.5	-34.5	...	...	...	...	...	...
100122	14:47:37	79.20	-2.71	18.43	135.8225	21.4093	65.7632	.1834	130.1039	15.3161	58.6240	.2120	-35.4	-15.4	...	...	...	...	...	...
100130	18:38:35	78.57	20.83	19.40	132.9985	22.2967	51.3434	1.1003	119.1768	16.9442	39.7819	1.3251	...	...	...	...	...	...	...	...
100131	17:30:57	117.41	13.73	18.60	132.3472	22.4477	16.3987	.2320	118.3729	17.0661	1.8218	1.8218	8.0	-2.0	...	...	...	...	...	...
100205	11:45:38	132.51	-22.26	27.75	115.8319	18.1962	40.9666	.5948	...	...	...	...	-48.5	-28.5	...	...	...	...	...	...
100211	10:33:50	132.25	29.49	19.45	128.4566	23.3412	4.8644	4.8644	116.4209	19.0598	15.4313	.8856	2.3	22.3	...	...	...	...	...	...
100212	13:11:45	134.27	32.22	18.47	117.0932	19.2180	21.5596	.2609	...	...	...	...	.4	20.4	...	...	...	...	...	...
100223	02:38:11	104.50	3.70	29.59	125.3224	23.7772	24.9255	.0948	124.9437	19.3930	23.2031	.1552	-22.7	-2.7	...	...	...	101.9000	12.5000	2.0000

Table 3—Continued

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R_1	δR_1	α_2	δ_2	R_2	δR_2	β_1	β_2	α	δ	R	α	δ	R
100224	02:41:10	269.56	-17.08	18.64	305.1376	-23.7891	36.8604	.1938	305.9279	-19.3246	38.1940	.1166	-3.7	16.3	...	...	...	...	...	...
100225	02:45:31	312.35	-54.70	20.36	307.2252	-19.2294	41.4655	.1767	...	...	...	...	-56.5	-36.5	...	...	...	310.3000	-59.4000	.9000
100225	13:55:29	314.27	.21	18.32	307.4190	-19.2003	21.2450	.2606	342.7137	-13.9661	29.8067	7.8340	4.6	24.6	...	...	...	...	...	...
100225	16:52:18	147.91	34.01	21.53	127.8341	19.1710	26.0355	.2858	124.4264	23.8635	27.9329	.8649	-3.2	16.8	...	...	...	...	...	...
100313	06:54:23	169.28	-52.45	20.22	123.7916	23.4754	88.0828	.4009	145.6997	15.8058	74.3615	.1734	-61.9	-41.9	...	...	...	...	...	...
100322	01:05:05	23.33	-10.22	18.36	22.0022	6.5087	21.5004	3.6372	337.0614	-12.2989	45.6476	.0352	-31.7	-11.7	...	...	...	...	...	...
100324	04:07:36	44.69	-17.33	18.36	304.7879	-22.8620	86.8893	.0253	339.9218	-11.2730	57.9348	.0431	-43.2	-23.2	...	...	...	...	...	...
100325	06:36:08	331.21	-28.13	18.89	341.7350	-10.5915	20.0670	.1399	26.4021	8.6141	66.2693	2.3156	-2.7	-22.7	...	...	...	...	...	...
100326	09:38:20	314.70	.45	19.38	343.2758	-9.9992	28.1164	.2588	...	...	...	...	1.1	21.1	...	...	...	...	...	...
100330	07:24:58	202.08	.90	19.52	168.7187	7.7967	32.7315	.1979	211.6597	-11.6203	15.3389	15.3389	4.6	24.6	...	...	...	...	...	...
100410	17:45:47	78.13	61.33	18.71	5.6937	-.0897	63.8337	.0810	128.2156	21.4972	88.8618	.1473	25.0	90.0	...	...	...	...	...	...
100414	02:20:21	185.62	15.63	18.25	129.7971	21.0016	61.1221	.0330	190.8766	-2.3947	11.3459	.4780	-1.0	19.0	...	...	...	191.5900	8.5700	.1800
100421	21:59:48	350.68	-25.66	19.39	24.7798	9.0809	49.5913	.3378	...	...	...	...	...	...	...	...	...	...	...	...
100423	05:51:25	119.67	5.78	18.55	132.4218	20.0910	14.8691	.7523	27.2876	10.2433	89.3003	.0789	-16.9	3.1	...	...	...	...	...	...
100424	21:01:52	7.79	43.35	19.41	30.4485	11.6773	36.8538	.1093	...	...	...	...	...	...	...	...	...	...	...	...
100502	08:33:02	131.01	18.38	19.18	45.8474	17.9634	76.5234	.0580	...	...	...	...	-3.5	16.5	...	...	...	...	...	...
100503	13:18:03	149.26	5.46	18.82	228.4152	-18.8712	79.1376	.0497	...	...	...	...	-14.7	5.3	...	...	...	...	...	...
100511	00:49:56	109.29	-4.65	18.25	64.2256	23.3182	51.8892	.0502	55.7231	24.9483	59.7340	1.2010	-33.0	-13.0	...	...	...	...	...	...
100515	11:13:09	275.47	27.01	19.14	322.0512	-16.7158	61.3472	.0592	237.0262	-25.4570	65.9659	1.5981	35.0	90.0	...	...	...	...	...	...
100517	03:42:08	243.59	-10.37	21.99	255.8168	-25.2709	24.9123	.1982	...	...	...	...	...	...	...	...	...	...	...	...
100519	04:53:22	191.49	57.41	18.25	143.3175	16.2717	54.0783	.6609	79.3786	25.5967	75.0088	.4012	53.1	90.0	...	...	...	...	...	...
100527	19:04:37	226.83	19.78	18.90	272.7558	-25.5022	54.0420	.4995	240.3102	-26.5950	49.4108	14.6300	28.2	48.2	...	...	...	...	...	...
100604	06:53:37	248.30	-73.19	21.05	280.9126	-24.1579	50.9003	.2620	241.9926	-26.1729	56.5036	10.4520	-48.0	-10.0	...	...	...	...	...	...

Table 3—Continued

		GBM			IPN								Ecliptic		Planet			Other		
GRB	UT	α	δ	σ_{stat}	α_1	δ_1	R_1	δR_1	α_2	δ_2	R_2	δR_2	β_1	β_2	α	δ	R	α	δ	R
100609	18:48:11	90.48	42.78	19.53	153.6604	12.2275	57.1836	.6322	...	...	...	...	4.6	90.0	...	...	...	...	...	...
100612	13:04:21	63.53	13.74	19.73	65.4528	26.3660	6.4280	6.4280	...	...	...	...	-9.8	10.2	...	...	...	...	...	...
100612	17:26:06	352.00	-1.83	18.61	335.4887	-11.4491	19.6760	.2760	288.1234	-21.5092	65.9410	.2754	-3.5	16.5	...	...	...	...	...	...
100620	02:51:29	80.10	-51.68	18.53	158.8705	10.0065	85.4161	.1593	110.1302	19.1892	72.3489	.2504	-90.0	-53.0	...	...	...	...	...	...
100629	19:14:03	231.21	27.81	20.57	164.1709	7.7239	63.1522	.0196	290.2155	-16.4458	75.8537	.1297	10.3	90.0	...	...	...	...	...	...
100701	11:45:23	47.13	-3.55	18.25	109.7031	16.1393	68.2675	.0689	75.2771	25.2772	41.5509	1.6395	-26.1	-6.1	...	...	...	...	...	...
100707	00:46:38	351.07	-6.57	18.25	347.9500	-6.0425	9.6337	.1594	287.5688	-15.5557	68.9574	.0679	...	...	...	...	...	357.6000	-6.9000	1.0000
100709	14:27:32	142.53	17.38	22.45	169.0005	5.5685	23.6476	.1053	82.2502	24.3711	49.2556	28.8630	-1.0	19.0	...	...	...	...	...	...

Table 4. Number of GBM bursts observed by each IPN spacecraft.

Konus	Suzaku	INTEGRAL	Swift	MESSENGER	RHESSI	AGILE	Odyssey	MAXI	RXTE
281	199	184	151	126	86	67	56	4	1